



sachtler ace Mk II



## Are You Ready?

---

With Ace, precision meets dedication. Achieve finesse in every shot with fast counterbalance, and smooth drag adjustments. Lightweight and sturdy, with consistent performance, Ace is along for the journey.

From urban jungles to the call of the wild, be ready for every opportunity that comes your way.



**"Ace is a dependable tripod system for daily use."**

- Luke Thomas, DP, LA



**"I often find myself filming in situations where my gear is exposed to snow, dirt, and water. I've found the Ace XL holds up against the elements and performs where other brands can't."**

*- Susan Theis, Filmmaker / Photographer*

## Set the Bar High

---

Focus on the detail and create exceptional. With Ace in your corner, stability and smoothness comes with every shot. Simplify your setup with camera plate markers, stepped counterbalance, and quick pan and tilt drag adjustments. Add something extra using accessory points on the tripod bowl. For big rigs, Ace XL supports payloads up to 8 kg with an extra four steps of counterbalance and an illuminated level bubble.



Pictures may show optional accessories.

## Embrace the Journey

---

Chase opportunity and travel well. Ace is lightweight and portable without sacrificing strength. A carry handle means you can chase down the shot. Choose a detachable flowtech-style mid-level spreader to provide stability no matter how rocky the road. And when the road is long, Ace comes with a carry case for protection on the go.

Genuine Sachtler broadcast feel with Sachtler Ace:

- **Smooth drag feeling**
- **Long sliding range of camera plate**
- **Parking position for spare camera screws**
- **Glass fiber reinforced composite fluid head**
- **Scale on camera platform**
- **Multiple counterbalance steps for precise balancing**





## Push the Limits

---

Believe anything is possible and expand your horizons. Sachtler supports pioneering professionals to push boundaries every day. Capture life on the move wherever you are, from city streetscapes to remote and rugged wilderness. Light in weight but not in features, Ace can be used without a second thought, so go further, climb higher and capture that winning shot unplanned or in the heat of the moment.

**Fast  
counterbalance**

**Smooth  
drag**

**Complete  
package**

**Total  
Confidence**








**"You often only have one opportunity to capture a shot. It's absolutely crucial that I can rely on my gear to work as it should."**

Zac Hancock, Full Send Studios

## Never Stop

---

Stay determined and pursue your dream. Ace is built to earn its place on your journey. Designed with precision-engineered drag segments and rigorously tested materials, consistent performance is a given. That's why Sachtler is trusted by professionals like you. Whatever path you choose to travel, Ace is your support system.





# ace<sub>M</sub>

Ace M supports smaller cameras weighing up to 4kg, with five steps of balance to quickly match your payload. Achieve finesse in every shot with fast counterbalance, and smooth drag adjustments. Weighing just 1.7kg, Ace M is light in weight but not in features, so go further, climb higher and capture that winning shot.

<b>Payload</b>	0 –4 kg / 0–8.8 lbs
<b>Weight</b>	1.7 kg / 3.7 lbs
<b>Counterbalance</b>	5 steps + 0
<b>Drag</b>	3 steps vertical and 3 horizontal, + 0
<b>Temperature Range</b>	-30° to +60° C / -22° to +140° F
<b>Tilt Range</b>	+90° to -75°
<b>Camera plate</b>	Ace plate (slide in)
<b>Camera screws</b>	1/4", Pin
<b>Sliding range</b>	104 mm / 4.1 in
<b>Pan bar</b>	1, fixed, Type Ace
<b>Leveling</b>	level bubble



# ace<sup>XL</sup>

Ace XL supports camera rigs weighing up to 8kg (17.6lbs), with nine steps of balance. It also includes an illuminated level bubble to keep things straight in any location and the threaded stud is removable for when you want to swap to a slider. Designed with precision-engineered drag segments and rigorously tested materials, consistent performance is a given.

<b>Payload</b>	0-8 kg / 0-17.6 lbs
<b>Weight</b>	1.7 kg / 3.7 lbs
<b>Counterbalance</b>	9 steps + 0
<b>Drag</b>	3 steps vertical and 3 horizontal, + 0
<b>Temperature Range</b>	-30° to +60°C / -22° to +140°F
<b>Tilt Range</b>	+90° to -75°
<b>Camera plate</b>	Ace plate (slide in)
<b>Camera screws</b>	1/4", Pin
<b>Sliding range</b>	104 mm / 4.1 in
<b>Pan bar</b>	1, fixed, Type Ace
<b>Leveling</b>	illuminated bubble



# System Specifications

<b>Name</b>	<b>System Ace M MS Mk II</b>
<b>Code</b>	<b>1001M</b>
<b>Payload</b>	0 to 4 kg / 0 - 8.8 lbs
<b>Spreader</b>	Mid-level spreader
<b>Tripod Material</b>	Aluminium
<b>Transport Length</b>	86 cm / 33.9 in
<b>Height (min to max)</b>	78 - 169 cm / 30.7 - 66.5 in
<b>Weight</b>	4.4 kg / 9.7 lbs



<b>Name</b>	<b>System Ace M GS Mk II</b>
<b>Code</b>	<b>1002M</b>
<b>Payload</b>	0 to 4 kg / 0 - 8.8 lbs
<b>Spreader</b>	Ground spreader
<b>Tripod Material</b>	Aluminium
<b>Transport Length</b>	87 cm / 34.3 in
<b>Height (min to max)</b>	58 - 173 cm / 22.8 - 68.1 in
<b>Weight</b>	4.5 kg / 9.9 lbs



## System Ace XL MS AL Mk II

### 1018AM

0 - 8 kg / 0 - 17.6 lbs

Mid-level spreader

Aluminium

86 cm / 33.9 in

78 - 169 cm / 30.7 - 66.5 in

4.4 kg / 9.7 lbs



## System Ace XL GS AL Mk II

### 1019AM

0 - 8 kg / 0 - 17.6 lbs

Ground spreader

Aluminium

87 cm / 34.3 in

58 - 173 cm / 22.8 - 68.1 in

4.5 kg / 9.9 lb



# System Specifications

<b>Name</b>	<b>System Ace XL CF MS Mk II</b>
<b>Code</b>	<b>1018CM</b>
<b>Payload</b>	0 - 8 kg / 0 - 17.6 lbs
<b>Spreader</b>	Mid-level spreader
<b>Tripod Material</b>	Carbon Fibre
<b>Transport Length</b>	86 cm / 33.9 in
<b>Height (min to max)</b>	78 - 169 cm / 30.7 - 66.5 in
<b>Weight</b>	4.1 kg / 9 lbs



<b>Name</b>	<b>System Ace XL CF GS Mk II</b>
<b>Code</b>	<b>1019CM</b>
<b>Payload</b>	0 - 8 kg / 0 - 17.6 lbs
<b>Spreader</b>	Ground spreader
<b>Tripod Material</b>	Carbon Fibre
<b>Transport Length</b>	87 cm / 34.3 in
<b>Height (min to max)</b>	58 - 173 cm / 22.8 - 68.1 in
<b>Weight</b>	4.2 kg / 9.3 lbs





### System Ace XL flowtech75 MS Mk II

#### 1016MS

0 - 8 kg / 0 - 17.6 lbs

Mid-level spreader

Carbon Fibre

85 cm / 33.5 in

41 to 173 cm / 16.1 to 68.1 in

5.3 kg / 11.7 lb



### System Ace XL flowtech75 GS Mk II

#### 1016GS

0 - 8 kg / 0 - 17.6 lbs

Ground spreader

Carbon Fibre

84 cm / 33.1 in

41 to 174 cm / 16.1 - 68.5 in

5.5 kg / 12.1 lbs





## Ace XL flowtech

The system with the fastest tripod for ultimate versatility

Ace XL flowtech system combines a lightweight fluid head with the world's fastest tripod.

With its unique quick release brakes the tripod is deployed in an instant and easily adjusted to different height setups during shooting.

Using a hinge lock mechanism it covers a wide range of shots, from extremely low to high.

Exceptional torsional stiffness ensures that the tripod doesn't twist during panning movements. And magnetic locks and carry handle make the system easy to transport.

**These features make the Ace XL flowtech system the premium solution in the Ace range.**

**flowtech<sup>®</sup>**

[sachtler.com/flowtech](http://sachtler.com/flowtech)



