


The long-range cinema zoom reference redefined

OPTIMO ULTRA 12x





The New Generation High End 12x Cine Zoom

Successor model to industry reference Optimo 24-290 & 28-340, the Optimo Ultra 12x is the ideal long-range zoom for high-end productions : Feature Films, TV Series, Live Stage, Commercials, Music Videos. The lens features a totally new optical & mechanical design, offering even better optical performance, and improved mechanical stability and serviceability. Thanks to the IRO technology the lens can be configured in three different versions: S35 (31.1mm), U35 (34.6mm) and FF/VV (46.3mm) with dedicated sets of rear and rings.

Optimo
Ultra 12x



- ◆ Completely newly designed mechanics
vs. 24-290 & 28-340
- ◆ Improved mechanical stability & serviceability
- ◆ Weight reduction of moving component
- ◆ Reduce dust inhale
by improving air flow and adding dust traps
- ◆ Precise and ergonomic focus ring
with scale rotation of 321 degrees, the largest in the industry and over 70 focus marks.
- ◆ User changeable focus marking rings
(focusing scales available in feet or metric)
- ◆ Light-weight material Mechanical components based on
With Dedicated anti-abrasion coating
- ◆ Adapted to extreme shooting environments
(passive athermalisation from -20 °C to +40 °C)
- ◆ PL mount lens
Additional lens mounts to come.

Two versions available :

- Optimo Ultra 12X FF/VV-only
- Optimo Ultra 12X full pack
(Zoom S35 + U35 kit + FF/VV kit)

- ◆ Full Frame Coverage
enabled by a completely new optical design
- ◆ Well controlled optical performances
at each focal length and focus distance by having a good balance
between contrast and resolution
- ◆ Appealing cinematic look
- ◆ Superb image quality
from open aperture, considered as “variable primes”
- ◆ Low distortion
- ◆ No ramping, minimal breathing
Very fast for 12x zoom ratios
- ◆ Minimized color fringing
Thanks to an efficient use of aspherical elements
- ◆ Very short MOD
1.22m/4' for the S35 version — 1.24m /4'1" for the U35 version
≤1.5m /5' for the FF/VV version

Angénieux innovative modular design allows users to configure lenses optimized for different image circle sizes.



IRO Interchangeable
Rear
Optics
Technology®



@Ricardo Gomez Sanchez

Image Format Coverage

Focal Range

Aperture

Image Circle

Weight

S35

24-290mm

T2.8

31.1mm

12.6kg / 27.7lbs

U35

26-320mm

T3.1

34.6mm

12.75kg / 28.1lbs

FF/VV

36-435mm

T4.2

46.3mm

12.75kg / 28.1lbs

Accessories



- ◆ Optimo Extenders 1.4x and 2x
(for S35 only)
- ◆ Lens Carrying Handle
- ◆ Front Protective Glass



Optimo Ultra 12x



Wanna get your own
set of Optimo FF ?
Please Contact

For — Americas

BAND PRO FILM & DIGITAL BURBANK

3403 West Pacific Avenue
Burbank CA 91505 - USA

☎ +1 818 841 9655/1-888-BAND-PRO

✉ sales@bandpro.com

🌐 www.bandpro.com

For — India • Middle-East Europe • Africas • Eurasia

THALES LAS FRANCE SAS

Boulevard Ravel de Malval 42 570 Saint-Héand

☎ +33 (0)4 77 90 78 00

✉ angenieux@fr.thalesgroup.com

🌐 www.angenieux.com

For — Asia Pacific

Optimo Primes

For — Hong Kong & China

Optimo Ultra Compact

Optimo Ultra 12x

Optimo Primes

JEBSEN CONSUMER PRODUCTS Co. Ltd

18/F, Tower 2 Grand Century Place, 193
Prince Edward Road West, Mongkok,
Kowloon, Hong Kong

☎ (852) 2926 2350

✉ jcinecast@jebesen.com

🌐 www.jcinecast.jebesenconsumer.com

JEBSEN CONSUMER PRODUCTS (Beijing) Co. Ltd

10/F, Tower 2, Henderson Centre, 18 Jian
Guo Men Nei Avenue, Beijing China 100005

☎ (86) 10 8519 8688

✉ jcinecast@jebesen.com

🌐 www.jebesenindustrial.com/jcinecast

or JEBSEN CONSUMER PRODUCTS (Shanghai) Co. Ltd

19/F, Sino-Ocean Tower, 618 Yan An Road
East, Shanghai China 200001

☎ (86) 21 2306 4888

✉ jcinecast@jebesen.com

🌐 www.jebesenindustrial.com/jcinecast

For — Japan & South Korea

Optimo Ultra Compact

Optimo Ultra 12x

THALES LAS FRANCE SAS

Yasuhiko Mikami

☎ +81 90 4702 9607

✉ Take_it_EZ@outlook.jp

🌐 www.angenieux.com

For — Rest of Asia

Optimo Ultra Compact

Optimo Ultra 12x

THALES LAS FRANCE SAS

Frank Goh

☎ +65 9632 6225

✉ frank.goh@asia.thalesgroup.com

🌐 www.angenieux.com

More on the Optimo products & IOP

 @angenieuxlenses

 @angenieuxlenses


 @angenieuxlenses

 @angenieuxlenses

Contact the service team closest to you

If you have trouble finding the closest repair or service center for your Angénieux Optimo lenses, you can go to [the service & support page on our website](#) to find the list of our fully factory-trained international partners

Or you can contact the Angénieux service team :

 + 33 (0)4 77 90 78 00

 angenieuxservice@fr.thalesgroup.com



SHOT WITH IOP

Angénieux Optimo Primes
with IOP effects by PolarMedia



TUTORIAL

Angénieux Tutorial Video
for Optimo Ultra 12x



TUTORIAL

Angénieux Tutorial - IOP
disassembling & reassembling



WEBINAR

Angénieux Presents: Optimo Prime
Platinum & Optimo Ultra Compact
Full Frame