The worthy successor of the academy awarded Optimo 15-40 & 28-76

# OPTIMO ULTRA COMPACT





# The second generation of Optimo

The Optimo Ultra Compact lenses replace the famous academy awarded Optimo 15-40 and 28-76 lenses which have been the faithful companions of Directors of Photography for more than 15 years.

This new generation of high-end lenses is fully designed for the FF/VV format. Lightweight and compact, these lenses are among the lightest on the market. Thought for users, these lenses are the perfect addition to the Angénieux high-end Full Frame collection which already included the Optimo Ultra 12X and the Optimo Prime Series.

They will seduce by their ergonomics, their Optimo optical quality including the Angénieux look and their high-precision mechanics.




# lightweight enses



- Completely newly designed mechanics vs. Optimo 15-40 & 28-76
- ◆ Compact (235mm)
- Very lightweight (2,6kg/6lbs)
- Precise and rugged travelling
   of the zoom and focus groups using Angenieux classic rod mechanical guiding
   system
- ◆ User changeable focus marking rings (focusing scales available in feet or metric)
- ◆ Adapted to extreme shooting environments (passive athermalization from -20°C to +45°C)
- ◆ Available in PL mount.
- Front protective glass (as an accessory)
- ◆ Can be used with ARRI FF4 & FF5 Follow-Focus please use ARRI FF Gear 0.8 Module, 43 Tooth, 45mm K2.0020752

- ◆ Full Frame Coverage enabled by a completely new optical design
- ◆ Superb image quality from T2,9 (in FF/VV) open aperture
- Well controlled optical performances
   at each focal length and focus distance by having a good balance
   between contrast and resolution
- Appealing cinematic look
- Perfect homogeneity of color, contrast and resolution.
- Low distortion, no ramping, minimal breathing
- Very fast for 2.7x zoom ratios
- ◆ Extreme close-up shots

  Close focus of 2ft / 0.6m enables
- Internal focus, internal zoom, constant lens volume











Optimo Ultra Compact Standard 37-102 mm FF/VV

Optimo Ultra Compact Wide Angle 21-56 mm FF/VV





# Optimo Ultra Compact Standard | 37-102mm FF/VV

Zoom Ratio

2.7X

Aperture **T2.9** 

M.O.D

0.6 m / 2 ft

Internal focus

Yes

Image circle coverage

46.3 mm

Weight

2.5 kg / 5.51 lbs

Length

235 mm / 9 1/4 in

Front diameter

114 mm

Iris full closure

Yes

Metadata

Yes

Horizontal angular FOV

57.3° / 22.7°

Object dimensions at MOD (mm)

449 x 237 / 159 x 84



# Optimo Ultra Compact Standard | 28-76mm U35

Zoom Ratio

2.7X

Aperture **T2.2** 

114 mm

M.O.D

0.6 m / 2 ft

Internal focus

Yes

Image circle coverage

34.6 mm

Weight

2.5 kg / 5.51 lbs

Length

235 mm / 9 1/4 in

Front diameter

Iris full closure

Yes

Metadata

Yes

Horizontal angular FOV

57.3° / 22.7°

Object dimensions at MOD (mm)

447 x 224 / 160 x 84



# Optimo Ultra Compact Wide-Angle | 21-56mm FF/VV

Zoom Ratio M.O.D Internal focus Aperture Image circle coverage Weight 2.7X T2.9 0.6 m / 2 ft 46.3 mm 2.6 kg / 5.7 lbs Yes Length Front diameter Iris full closure Metadata Horizontal angular FOV Object dimensions at MOD (mm) 688 x 353 / 260 x 140 87.5° / 40.2° 247 mm / 9 23/32 in 114 mm Yes Yes

# Optimo Ultra Compact Wide-Angle | 16-42mm U35

Zoom Ratio

2.7X

Aperture

T2.2

M.O.D

0.6 m / 2 ft

Internal focus

Yes

Image circle coverage

34.6 mm

Weight

2.6 kg / 5.7 lbs

Length

247 mm / 9 23/32 in 114 mm

Front diameter

4 mm

Iris full closure

Yes

Metadata

Yes

Horizontal angular FOV

87.5° / 40.2°

Object dimensions at MOD (mm)

688 x 353 / 260 x 140



## Wanna get your own set of Optimo FF?

## **Please Contact**

## For — Americas

## **BAND PRO FILM & DIGITAL** BURBANK

3403 West Pacific Avenue Burbank CA 91505 - USA

# +1 818 841 9655/1-888-BAND-PRO

➣ sales@bandpro.com

www.bandpro.com

## For — Asia Pacific

Optimo Primes

## For — Hong Kong & China

Optimo Ultra Compact

Optimo Ultra 12x

Optimo Primes

## JEBSEN CONSUMER PRODUCTS Co. Ltd

18/F, Tower 2 Grand Century Place, 193 Prince Edward Road West, Mongkok, Kowloon, Hong Kong

**(852)** 2926 2350

jcinecast@jebsen.com

www.jcinecast.jebsenconsummer.com

## **JEBSEN CONSUMER** PRODUCTS (Beijing) Co. Ltd 10/F, Tower 2, Henderson Centre, 18 Jian

Guo Men Nei Avenue, Beijing China 100005

**(86) 10 8519 8688** 

🖎 jcinecast@jebsen.com

www.jebsenindustrial.com/jcinecast

## or JEBSEN CONSUMER PRODUCTS (Shanghai) Co. Ltd 19/F, Sino-Ocean Tower, 618 Yan An Road East, Shanghai China 200001

**(86) 21 2306 4888** 

jcinecast@jebsen.com

www.jebsenindustrial.com/jcinecast

## For — India • Middle-East **Europe • Africas • Eurasia**

### THALES LAS FRANCE SAS

Boulevard Ravel de Malval 42 570 Saint-Héand

**2** +33 (0)4 77 90 78 00

angenieux@fr.thalesgroup.com

www.angenieux.com

## For — Japan & South Korea

Optimo Ultra Compact

Optimo Ultra 12x

## THALES LAS FRANCE SAS

Yasuhiko Mikami

+81 90 4702 9607

Take\_it\_EZ@outlook.jp

www.angenieux.com

## For — Rest of Asia

Optimo Ultra Compact

Optimo Ultra 12x

#### **THALES LAS FRANCE SAS** Frank Goh

+65 9632 6225

frank.goh@asia.thalesgroup.com

www.angenieux.com

## More on the Optimo products & IOP





@angenieuxlenses



in @angenieuxlenses



@angenieuxlenses

# Contact the service team closest to you

If you have trouble finding the closest repair or service center for your Angénieux Optimo lenses, you can go to the service & support page on our website to find the list of our fully factory-trained international partners

Or you can contact the Angénieux service team:

**2** + 33 (0)4 77 90 78 00

angenieuxservice@fr.thalesgroup.com






SHOT WITH IOP

Angénieux Optimo Primes with IOP effects by PolarMedia



### **TUTORIAL**

Angénieux Tutorial Video for Optimo Ultra 12x



#### **TUTORIAL**

Angénieux Tutorial - IOP disassembling & reassembling



### WEBINAR

Angénieux Presents: Optimo Prime Platinum & Optimo Ultra Compact Full Frame

