


TAV
TRANS AUDIO VIDEO GROUP

DZOFILM

X-TRACT
18-28MM T8 FF MACRO ZOOM



Presto Disponibili

PREORDINALI SUBITO

sales@transaudiovideo.com

X-TRACT

18-28MM T8 FF MACRO ZOOM

18-28MM T8



Full Frame Coverage

Probe Zoom

PL

Native Mount

Waterproof Depth >28cm
Protection Rating IP57

X-TRACT

300° Smooth Focus Throw

Parfocal



6mm Working Distance

2.1X

Magnification

-30~70°C

Testing in harsh
environments

1089g

Compact Probe Design



415mm

φ 29.6mm

HRI

7 High Refractive Index

ED

6 Extra-low Dispersion

True Color

Unique optical design

[Specification]

Focal Length	18-28mm
Lens Tybe	Direct 0°
Mount	PL
Aperture	T8-T45
Image Circle	φ43.2mm
Construction of Optics	25 Elements in 18 Groups
Flange Distance	52mm
Close Focus (from sensor plane)	0.47m/1ft7in
Close Focus (from lens front)	6mm
Zoom Ratio	1.55x
Magnification factor (28mm)	2.1X
Iris Control	Manual (72°)
Focus Control	Manual (300°)
Zoom Control	Manual (100°)
Length	415mm
Iris Blade	10pcs
Gear Pitch	0.8 Mod
Material	Aluminum Alloy
Weight(Product)	≈1090g